SARGENT AND GREENLEAF®



Imagine the possibilities. And the instantaneous return on investment.

This highly flexible, technology-enabled solution lets you program and manage S&G[®] electronic locks across your entire enterprise and, except for opening the safe, eliminates the need for an authorized, physical presence at your safe locks. Powerful remote control capabilities let you program and manage large groups of locks, enter new users, delete users, instantly pull audit trails from our audit trail locks, create exception reporting, and more – all remotely.

The moment you activate the IP Series[™] network, you begin saving. Increase productivity. Sharply reduce travel time and safe management expenses. Improve response levels. Boost internal customer

service to a whole new level. All while actually increasing security and control.

IP Series" technology. Security you can trust.

You're probably wondering how such a Web-enabled, remote control solution can ensure the integrity of your safe security program. The answer is simple: IP Series[™] technology operates within your LAN/WAN firewall protection and offers AES128 data encryption.

Four Levels of Operation: Local, Web One-to-One, LMP & Exception Reporting.

IP Series[™] safe lock technology offers a flexible, expandable array of control options designed to deliver precisely the level of security your organization and security policies demand.

Local Keypad

Whenever local, at-the-keypad operation is required or preferred, IP Series[™] safe locks operate just like standard electronic locks.

Web-enabled (One-to-One)

Technology built into every IP Series[™] keypad allows authorized users with a simple browser and PC to program and manage one lock at a time. There is no additional software to purchase, support or upgrade to perform a complete array of basic operations.





	IP Serie	
9124/4126/203 6	TIME LOCK	
User	Tenning (10.00	
Time Delay	Needay (and Derivition on the state of the state	
Change Code	Commentary 00.00 - 21.00 (00.00 - 00.00 (00.00 - 00.00) 00.00 - 00.00	
Supervisor	Teaching Column - 221101 Hamilton - 001101 Sol Hitle - 1021401 Hitle - 102 Hitle -	
	Balanter 10-01, 71 To 10 CO., 00 CO., 00 CO., 10 CO., 10 CO., 10 CO.	
Manage Codes Admin Holidays	Berney Hart-1988, Mar. 40.00 (0.01) (0.01) (0.01)	
1 Hour Block	They Toma Gas all all all all	
Master	Manutay 9 1 9 00 9 00 9 00 9	
Settings	Margar.	
Time Lock		
Holidaya		
Time Delay	(46)	

Control access to safes by easily setting

or LMP software.

time lock from either the browser interface

Set and start time delay from the browser interface.

LMP (One-to-Many)

Optional LMP (Lock Management Program) software allows IP Series[™] users to easily create and manage templates that define lock programming. Applied to a large group of locks and controlled remotely, these templates eliminate the need to program each lock individually.

codes - all remotely.

users, deleting users and changing user



Use the standard selection of IP Series[™] maps – or import your own custom maps to visually represent lock installations.



Friendly, flexible and fast – set holiday schedules and time lock remotely.

AUDIT TRAIL LOOK DATASHEET								
Locations	SãO HO		Q Let	ik pumberi	F			
Date	Time	Bar	Adat	14	PRITERS			
11/28/2004	12(2+i00 PM	Laie 1	Time story					
	12/28/00 PM	Line 37	The remained		T PRICE HANNER			
	12/28/00 PM	Liter 0	Examp theorem		100 1			
11/28/2004	12(2h)DO PM	-1.0wm1	Tine-Mile-		1000			
11/28/2004	12/27/00 PM	Line 2	Title determined		TAGIONI			
	12/29/00 FM	Aller 1	'Out another both					
	12:29:00 PM	Liter 1	list renaced					
11/29/2004	12-48-00 84	Use 1	Test doing.		El little			
	12-51-00 PM	Mer II	Trong draugh					
	12:51:00 FM	Liter 7	Tel anesid		17 144			
11/29/2004	12/51/00 FM	Liter 1	fiel renated					
	1242000 PM	Mar 1	Troig stilling.					
	12:5300 PM	Liber 1	the reveal		Ches Cin Faut			
	12(5)(0) FM	Line II	Sning-barge		C Date:			
11/28/2004	12:5400 PM	Line 1	Toria dalap		Marth Day Year			
11/29/2004	12/54/00 FM	Liter 3	Tel atended					
11/29/2004	12:5800 PM	Liter 2	(fail renated)		101010			
11/28/2004	12/54:00 FM	Liter 2	Bd anti-ball		Chu Ca Cast			
	1/04/00 PM.	low 1	The environ		and the second division of the second divisio			
11,09,000+	Lobertito Inst	Liter 1	that converse		APPLY PLITS CROSS			

Instantly pull audit trail reports from S&G[®] audit trail locks. No keys to manage. No lost data. No travel to the site. Get results fast.

Exception Reporter

Optional Exception Reporting software further enhances your IP Series[™] capabilities, allowing authorized users to quickly program operational rules and generate an immediate exception report, sent in an email alert to designated persons for action.



Set safe security rules and generate exception reports if rules are violated. Report is automatically e-mailed to designated person(s) for action.



Establish operating parameters for the safe to help enforce security policy. Choose from a variety of common parameters such as door open time, bolt retraction time, network failure, power disruption and others.



Exception reports are e-mailed instantly to designated person(s) – easy to send to PCs, cell phones or PDAs. So, no matter where you are, you stay in touch with your security environment.

Who benefits most from IP Series[™] technology? You do.

Retail chains. Financial. And more. Any organization that depends on safe locks at dispersed locations will instantly recognize the value of our IP Series[™] technology.

Why? IP Series[™] technology delivers centralized control over your entire network of safes equipped with S&G[®] electronic safe locks. Authorized users at multiple levels of assigned access can now control all required functions quickly and conveniently. With the IP Series,[™] enforcement of corporate security policies regarding safe access at remote locations becomes easier. Improve operational efficiencies. Get instant feedback. Enhance reporting.

In short, your organization benefits from improved control of security.



FEATURE	KEYPAD	BROWSER	LMP
Start Time Delay	Х	Х	
Open Lock	Х		
Observe Lock Status	Х	Х	Х
Set Date/Time	Х		Х
Create User Codes		Х	Х
Delete User Codes	Х	Х	Х
Change User Codes	Х	Х	Х
Disable User Codes		Х	
Set Time Delay		Х	Х
Set Opening Window		Х	Х
Program Multiple Locks Simultaneously			Х
Set Time Lock		Х	Х
Set Holidays		Х	Х
Viewable Audit Trail	20 events	10 events	500 events
Group Set Date/Time			Х
Group Code Administration			Х

Lock Management Program

Intel® Pentium® III 500 MHz or equivalent (P3 1 GHz recommended) 96MB RAM (128MB recommended) 130MB hard disc space (200MB recommended) 4X CD-ROM Drive 800X600 or higher resolution monitor Mouse or other pointing device Network Adapter Microsoft® Windows® XP (SP1a), Microsoft® Windows® 2000 (SP4), Active Connection to a TCP-IP network

Intel[®] and Pentium[®] are registered trademarks of Intel Corporation. Microsoft[®] and Windows[®] are registered trademarks of Microsoft Corporation.

Exception Reporter

Intel[®] Pentium[®] III 500 MHz or equivalent (P3 1 GHz recommended) 64MB RAM (128MB recommended) 130MB hard disc space (200MB recommended) 4X CD-ROM Drive 800X600 or higher resolution monitor Mouse or other pointing device Network Adapter Microsoft[®] Windows[®] XP (SP1a), Microsoft[®] Windows[®] 2000 (SP4), Active Connection to a TCP-IP network

Corporate Headquarters One Security Drive Nicholasville, KY 40356 859.885.9411 859.885.3063

European Headquarters 9, chemin du Croset 1024 Ecublens Switzerland 41.21.694.3400

www.sargentandgreenleaf.com www.stanleysecuritysolutions.com









Secure, Remote-Control, Enterprise-Wide Security.



Connected to your secure LAN/WAN network, the IP Series Web-enabled keypad allows authorized network users to program and control individual safe locks remotely using a simple browser and PC.

Enter new users. Delete users. Pull audit trails. Generate exception reports.



Drive costs out of your system. Enhance control and reporting. And free your Loss Prevention and Security staff from time-consuming daily tasks so they can focus their talents where they're needed most.

